



This Material Safety Data Sheet applies to the following Baldwin Filters Part Numbers:

CS5007
CS5055
CS5057
CS5058

I. Identification

Emergency Only Telephone: (800) 424-9300 Inside the US, Canada and the U.S. Virgin Islands
(703) 527-3887 Outside the US (collect calls accepted)

Information Telephone: (800) 822-5394

Chemical Family: Alkali Metal Salts in Water
DOT Hazard: Not Applicable
UN/NA Number: Not Applicable
DOT Emergency Response Guide: Not Applicable
DOT Hazard Description: Not Applicable

II. Hazardous Ingredients

<u>Material</u>	<u>TLV (Units)</u>	<u>CAS #</u>
Phosphoric Acid, Tripotassium Salt	ND	7778-53-2
Potassium Nitrite	ND	7758-09-0
Potassium Nitrate	ND	7757-79-1
Sodium Molybdate (Molybdic Acid, Disodium Salt)	0.5mg/m ³	7631-95-0

III. Physical Data

Specific Gravity (70F, 21C): 1.152
Freeze Point: 10F -12C
Viscosity (cps 70F, 21C): 10
Vapor Pressure (mmHg): ~ 18.0
Vapor Density (air = 1): < 1.00
Solubility in Water: Complete
pH (as is): ~ 10.4
Flash Point P-M (CC): > 200F > 93C
Evaporation Rate (ether = 1): < 1.00
Physical State: Liquid
Odor: Slight
Appearance: Colorless to Yellow

IV. Fire and Explosion Hazard Data

Flash Point (Test Method): > 200F > 93C P-M (CC)
Extinguishing Media: Flood with water. Use of CO₂ or foam may not be effective.
Special Firefighting Procedures: Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type)

V. Reactivity Data

Stability: Stable under normal storage conditions.
Incompatibility (materials to avoid): May react with strong oxidizers.
Hazardous Decomposition Products: Thermal decomposition (destructive fires) yields elemental oxides.
Hazardous Polymerization: Will not occur.

VI. Health Hazard Data

Ingredients Listed as Carcinogenic in NTP, IARC or OSHA (specify): None

Acute Effects of Overexposure

Eye Contact: Severe irritant to the eyes.
Skin Contact: May cause slight irritation to the skin.
Inhalation: Mists/aerosols may cause irritation to upper respiratory tract.
Ingestion: May cause slight gastrointestinal irritation.

Emergency and First Aid Procedures

Eyes: Flush at once with plenty of cool water for 15 minutes. Get immediate medical attention.
Skin: Remove any contaminated clothing. Flush affected area with plenty of water for 15 minutes. If irritation develops, get medical attention.
Inhalation: Move victim to fresh air. If symptoms persist, consult a physician.
Ingestion: Seek medical attention immediately. Give large quantities of water or milk to dilute. Never give anything by mouth to an unconscious person. Do not induce vomiting.

VII. Spill or Leak Procedures

Protection and Spill Containment: Ventilate area. Use specified protective equipment. Contain and absorb on absorbant material. Place in waste disposal container. Flush area with water. Spread sand/grit.
Waste Disposal Method: Water contaminated with this product may be sent to a sewer treatment facility, in accordance with federal, state and local guidelines. Product as is — incinerate or land dispose in approved landfill.

VIII. Special Protection Information

Ventilation Requirements: Adequate ventilation to maintain air contaminants below exposure limits.

Recommended Personal Protective Equipment

- Respiratory:** A respiratory protection program that meets OSHA's 29CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. Use air purifying respirators within use limitations associated with the equipment or else use supplied air-respirators. If air-purifying respirator use is appropriate, use a respirator with dust/mist filters.
- Eyes:** Chemical splash goggles
- Gloves:** Neoprene gloves — wash off after each use. Replace as necessary.

IX. Handling and Storage

- Handling:** Contains an oxidizer. Avoid all contact with reducing agents, oils, greases, organics and acids. Do not allow to dry.
- Storage:** Keep containers closed when not in use. Reasonable and safe chemical storage. Protect from freezing

X. Toxicological Information

- Oral LD50 Rat: > 2,000 mg/kg (estimated value)
Dermal LD50 Rabbit: > 2,000 mg/kg (estimated value)

XI. Regulatory Information

- TSCA:** All components of this product are listed in the TSCA inventory.
CERLA and/or SARA REPORTABLE QUANTITY (RQ): None
SARA SECTION 312 HAZARD CLASS: Immediate (acute); Delayed (chronic)
SARA SECTION 302 CHEMICALS: None
SARA SECTION 313 CHEMICALS:

CAS #	CHEMICAL NAME	RANGE
7757-79-1	Potassium Nitrate	2.0 - 5.0%
67-56-1	Methanolf	<0.1%

- CALIFORNIA REGULATORY INFORMATION:**
CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65) CHEMICALS PRESENT: None
MICHIGAN REGULATORY INFORMATION: None

XII. NFPA / HMIS

Health	1	Slight Hazard
Fire	0	Minimal Hazard
Reactivity	0	Minimal Hazard
Special	None	No Special Hazard
Protective Equipment ⁽¹⁾	B	Goggles, gloves

⁽¹⁾ refer to section VIII of MSDS for additional protective equipment recommendations.

All information, recommendations and suggestions appearing herein concerning this compound are based upon data obtained from the raw material manufacturers and/or recognized technical sources; however, Dober Chemical Corp. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of the product. Since actual use by others is beyond our control, no warranty, express or implied is made by Dober Chemical as to the effects of such use, the results to be obtained or the safety and toxicity of the product. The data in this MSDS relate only to the specific product designated herein and do not relate to use in combination with any other material or in any process.

Baldwin Filters does not develop, prepare, or review the contents of any Material Safety Data Sheet; the MSDS is provided by Dober Chemical Corp., the manufacturer of the chemical in our product. The statements, technical information and recommendations contained herein are transmitted without warranty or guarantee of any kind, expressed or implied by Baldwin Filters. Furthermore, Baldwin Filters assumes no responsibility for any loss, damage or expense, direct or consequential, arising out of their use.



4400 East Highway 30 ■ P.O. Box 6010
Kearney, Nebraska 68848-6010
Phone: (308) 234-1951 ■ Toll Free: (800) 822-5394
Fax: (800) 828-4453 ■ Int'l Fax: (308) 237-9769
Internet: www.baldwinfilter.com