



MSDS G42

Effective Date:
11-APRIL-2007

This Material Safety Data Sheet applies to the following Baldwin Filters Part Numbers:

BW5250

I. Identification

Emergency Only Telephone: (800) 424-9300 Inside the US, Canada and the U.S.
Virgin Islands
(703) 527-3887 Outside the US (collect calls accepted)

Information Telephone: (800) 822-5394

Chemical Family: Alkali Metal Salts w/Polymer Coating
DOT Hazard Class: NA
DOT Shipping Name: NA

II. Hazardous Ingredients

<u>Material</u>	<u>%</u>	<u>TLV (Units)</u>	<u>CAS #</u>
Sodium Nitrite	9-13	NA	7632-00-0
Sodium Molybdate	5-15	2 mg/m ³	7631-95-0
Sodium Nitrate	7-10	NA	7631-99-4
Silicic Acid, Disodium Salt (Sodium Metasilicate)	10-20	NA	6834-92-0

III. Physical Data

Boiling Point, 760 mmHg: NA
Specific Gravity (H₂O = 1): NA
Vapor Density (air = 1): NA
% Volatile by Volume: NA
pH (1% bw in water): NA
Vapor Pressure: NA
Solubility in Water: TR80034 Complete/Coating Insoluble
Evaporation Rate: NA
Appearance and Odor: White Color, Mild Ester Odor

IV. Fire and Explosion Hazard Data

Flash Point (Test Method): NA
Flammable Limits in Air (% by volume): **Lower** = ND **Upper** = ND
Extinguishing Media: Water, CO₂, Chemical Foam
Special Firefighting Procedures: Wear self-contained breathing apparatus. Contact with strong acids or thermal decomposition may produce toxic fumes.
Unusual Fire and Explosion Hazards: None

V. Reactivity Data

Stability: **Stable:** X **Unstable:**
Conditions to Avoid: NA
Incompatibility (materials to avoid): Strong acids, strong oxidizers, extreme heat, reducing agents.
Hazardous Combustion or Decomposition Products: Oxides of carbon and nitrogen.
Hazardous Polymerization: **May Occur:** **Will Not Occur:** X

VI. Health Hazard Data

Toxicity: TLV = 5 mg/m³ (Sodium Molybdenum);
10 mg/m³ (Nuisance Dust)
Ingredients Listed as Carcinogenic in NTP, IARC or OSHA (specify): None

Acute Effects of Overexposure

Eye Contact: Corrosive. Causes burns and severe damage to delicate eye tissue. Contact may cause blindness.
Skin Contact: Corrosive. May cause irritating and severe burns to the skin.
Inhalation: Corrosive. May cause burns to respiratory tract. Inhalation not likely due to physical nature.
Ingestion: Corrosive. May be fatal if swallowed. May cause burns to gastrointestinal tract. May cause nausea and vomiting.
Principal Routes of Absorption: Skin contact, eye contact, ingestion.

Emergency and First Aid Procedures

Eyes: Flush at once with plenty of cool water for 15 minutes. Contact a physician.
Skin: Flush affected area with plenty of water. If irritation develops, consult a physician.
Inhalation: Remove victim to fresh air. If symptoms persist, consult a physician.
Ingestion: Seek medical attention immediately. Give large quantities of water to dilute. Never give anything by mouth to an unconscious person.

VII. Spill or Leak Procedures

Steps to be taken if Material is Released or Spilled: Return dry material to original container, or shovel into steel container for disposal. Flush residue with plenty of water.
Waste Disposal Method: In accordance with federal, state, and local guidelines.

VIII. Special Protection Information

Ventilation

Requirements: Local exhaust sufficient to maintain below TLV.

Recommended Personal Protective Equipment

Respiratory: NIOSH approved dust mask/respirator.

Eyes: Chemical splash goggles.

Gloves: Impervious.

Other Clothing and Equipment: Other protective clothing depending on degree of exposure.

IX. Special Precautions

Precautions to be taken in Handling and Storing:

Keep container closed. Keep out of reach of children. Do not contact skin or eyes. Store in a cool dry place.

Other Precautions: For industrial use only. Do not take internally.

HMIS Ratings:

Health	0
Flammability	1
Reactivity	0
Personal Protection	B

All information, recommendations, and suggestions appearing herein concerning this compound are based upon data obtained from the raw material manufacturers and/or recognized technical sources; however, Dober Chemical Corp. makes no warranty, representation, or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of the product. Since actual use by others is beyond our control, no warranty, express or implied, is made by Dober Chemical as to the effects of such use, the results to be obtained or the safety and toxicity of the product. The data in this MSDS relate only to the specific product designated herein and do not relate to use in combination with any other material or in any process.

Baldwin Filters does not develop, prepare, or review the contents of any Material Safety Data Sheet; the MSDS is provided by Dober Chemical Corp., the manufacturer of the chemical in our product. The statements, technical information and recommendations contained herein are transmitted without warranty or guarantee of any kind, expressed or implied by Baldwin Filters. Furthermore, Baldwin Filters assumes no responsibility for any loss, damage or expense, direct or consequential, arising out of their use.

BALDWIN FILTERS® **BALDWIN**

a CLARCOR company

4400 East Highway 30 ■ P.O. Box 6010

Kearney, Nebraska 68848-6010

Phone: (308) 234-1951 ■ Toll Free: (800) 822-5394

Fax: (800) 828-4453 ■ Int'l Fax: (308) 237-9769

Internet: www.baldwinfilter.com

